

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S32	3085	(service or user) near2 request and load near15 servers	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 15:02
S33	83	(service or user) near2 request and load near15 servers same threshold\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 15:03
S34	7	(service or user) near2 request and load near15 servers same threshold\$1 and request near15 (lower or below) near10 threshold\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 15:34
S35	3	(service or user) near2 request and load near15 servers same threshold\$1 and request near15 (lower or below) near10 threshold\$1 and queue\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 15:05
S36	1	(service or user) near2 request and load near15 servers same threshold\$1 and request near15 (lower or below) near10 threshold\$1 and queue\$4 and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 15:07
S37	1	load near15 servers same threshold\$1 and request near15 (lower or below) near10 threshold\$1 and queue\$4 and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 15:08
S38	16	request near15 (lower or below or less) near10 threshold\$1 and queue\$4 near15 request near15 (above or higher or greater) near10 threshold\$1 and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 15:14

EAST Search History

S39	120	request near15 (lower or below or less) near10 threshold\$1 and queue\$4 near15 request and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 15:15
S40	4	request near15 load near5 (lower or below or less) near10 threshold\$1 and queue\$4 near15 request and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 15:51
S41	0	servers near15 load near5 (lower or below or less) near10 threshold\$1 and queue\$4 near15 request and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 15:18
S42	2	servers near15 loads near5 (lower or below or less) near10 threshold\$1 and queue\$4 near15 request and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 15:20
S43	0	loads near5 (lower or below or less) near10 threshold\$1 and queue\$4 near15 request and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 15:20
S44	0	loads near5 (lower or below or less) near10 threshold\$1 and queue\$4 near15 request and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 15:22
S45	3	servers near15 loads near10 threshold\$1 and queue\$4 near15 request and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 15:34

EAST Search History

S46	4	servers near15 load near10 threshold\$1 and queue\$4 near15 request and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 15:21
S47	6	servers near15 (lower or below or less) near10 threshold\$1 and queue\$4 near15 request and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 07:56
S48	0	queue\$4 near15 request near15 servers near4 load\$2 near15 (greater or higher or above or excess\$4) near15 threshold\$1 and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 15:28
S49	0	queue\$4 near15 request near15 servers near15 (greater or higher or above or excess\$4) near15 threshold\$1 and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 15:28
S50	0	queue\$4 near15 request near15 servers near4 load\$2 near15 (greater or higher or above or excess\$4) and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 15:29
S51	1	queue\$4 near15 request near15 servers near15 threshold\$1 and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 15:28
S52	6	queue\$4 near15 request near15 servers near4 (greater or higher or above or excess\$4) and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 15:29

EAST Search History

S53	6	queu\$4 near15 request near15 servers near10 (greater or higher or above or excess\$4) and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 15:30
S54	7	queu\$4 near15 request and servers near10 (greater or higher or above or excess\$4) near10 threshold\$1 and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 15:31
S55	51	request and (workload or load) near15 servers same threshold\$1 and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 15:35
S56	20	request and (workload or load) near15 servers same threshold\$1 and queu\$4 near10 request and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 15:35
S57	5	request and (workload or load) near15 servers same threshold\$1 and queu\$4 near10 request near15 servers and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 15:36
S58	2	request same (workload or load) near15 servers same threshold\$1 and queu\$4 near10 request near15 servers and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 15:38
S59	6	(queu\$4 or buffer\$3) near10 request near15 servers near15 (above or higher or greater or exce\$5)and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 15:41

EAST Search History

S60	69	(queue\$4 or buffer\$3) near15 servers near15 (above or higher or greater or exce\$5)and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 15:42
S61	17	(load\$balanc\$4 or (load near balanc\$4)) and (queue\$4 or buffer\$3) near15 servers near15 (above or higher or greater or exce\$5)and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 15:42
S62	2	"6240454".pn. and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 15:52
S63	2	"6240454".pn. and load and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 15:55
S64	285	queue\$4 near10 request near15 (load or workload) and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 15:56
S65	351	queue\$4 near10 request near15 (load\$1 or workload\$1) and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 15:56
S66	5	queue\$4 near10 request near15 servers near15 (load\$1 or workload\$1) and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 15:58

EAST Search History

S67	5	queue\$4 near10 request near15 servers near15 (load\$1 or workload\$1) and queue\$4 near10 request and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 16:03
S68	0	queue\$4 near10 request near15 (each or all or every) near3 servers and queue\$4 near10 request and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 16:04
S69	0	queue\$4 near10 request near15 (each or all or every) near3 servers and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 16:04
S70	111	queue\$4 near10 request near15 servers and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 16:06
S71	5	queue\$4 near10 request near15 servers near15 (workload\$1 or load\$1) and(@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 16:08
S72	16	queue\$4 near10 request near15 servers and (@ad<"20001030" or @rlad<"20001030") and fifo	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 16:08
S73	0	buffer\$4 near10 request near15 servers near15 (workload\$1 or load\$1) and(@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 16:10

EAST Search History

S74	376	buffer\$4 near10 request near15 (workload\$1 or load\$1) and(@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 16:10
S75	695	(buffer\$4 or queue\$4) near10 request near15 (workload\$1 or load\$1) and(@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 16:11
S76	21	(buffer\$4 or queue\$4) near10 request near15 (workload\$1 or load\$1) and (workload\$1 or load\$1)near15 threshold\$1 and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 16:23
S77	0	(buffer\$4 or queue\$4) near10 request near15 servers near5 busy and (workload\$1 or load\$1)near15 threshold\$1 and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 16:33
S78	2	(buffer\$4 or queue\$4) near10 request near15 busy and (workload\$1 or load\$1)near15 threshold\$1 and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 16:34
S79	194	(buffer\$4 or queue\$4) near10 request and (workload\$1 or load\$1)near15 threshold\$1 and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 16:34
S80	11	(buffer\$4 or queue\$4) near10 request same (workload\$1 or load\$1)near15 threshold\$1 and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 16:39

EAST Search History

S81	110	(buffer\$4 or queue\$4) near10 request same (workload\$1 or load\$1)near15 (greater or higher or above or exce\$5) and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/20 16:40
S82	832	((electronic near mail\$4) or email\$4 or e\$mail\$4) same threshold\$1 and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 07:58
S83	421	((electronic near mail\$4) or email\$4 or e\$mail\$4) same (higher or lower or above or below or exce\$6) near15 threshold\$1 and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 08:07
S84	8	((electronic near mail\$4) or email\$4 or e\$mail\$4) same (load\$1 or workload\$1) near15 (higher or lower or above or below or exce\$6) near15 threshold\$1 and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 08:03
S85	26	((electronic near mail\$4) or email\$4 or e\$mail\$4) same (load\$1 or workload\$1) near15 threshold\$1 and (@ad<"20001030" or @rlad<"20001030")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 08:04
S86	18	((electronic near mail\$4) or email\$4 or e\$mail\$4) same (load\$1 or workload\$1) near15 threshold\$1 and (@ad<"20001030" or @rlad<"20001030") not S84	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 08:06
S87	294	((electronic near mail\$4) or email\$4 or e\$mail\$4) near15 threshold\$1 and (@ad<"20001030" or @rlad<"20001030") not S84	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 08:06

EAST Search History

S88	158	((electronic near mail\$4) or email\$4 or e\$mail\$4) near15(higher or lower or above or below or exce\$6) near15 threshold\$1 and (@ad<"20001030" or @rlad<"20001030"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 08:07
S89	152	((electronic near mail\$4) or email\$4 or e\$mail\$4) near15(higher or lower or above or below or exce\$6) near15 threshold\$1 and (@ad<"20001030" or @rlad<"20001030"))not S85	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 08:18
S90	7	((electronic near mail\$4) or email\$4 or e\$mail\$4) near10 (result\$1 or response\$1) near15(higher or lower or above or below or exce\$6) near15 threshold\$1 and (@ad<"20001030" or @rlad<"20001030"))not S85	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 08:14
S91	145	((electronic near mail\$4) or email\$4 or e\$mail\$4) near15(higher or lower or above or below or exce\$6) near15 threshold\$1 and (@ad<"20001030" or @rlad<"20001030"))not (S85 or S90)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 09:00
S92	0	processed near10 ((electronic near mail\$4) or email\$4 or e\$mail\$4) near15(higher or lower or above or below or exce\$6) near15 threshold\$1 and (@ad<"20001030" or @rlad<"20001030"))not (S85 or S90)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 08:25
S93	0	requested near5 (file\$1 or data or content\$1) near10 ((electronic near mail\$4) or email\$4 or e\$mail\$4) near15(higher or lower or above or below or exce\$6) near15 threshold\$1 and (@ad<"20001030" or @rlad<"20001030"))not (S85 or S90)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 08:26

EAST Search History

S94	0	requested near5 (file\$1 or data or content\$1) near10 ((electronic near mail\$4) or email\$4 or e\$mail\$4) near15 threshold\$1 and (@ad<"20001030" or @rlad<"20001030")not (S85 or S90)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 08:26
S95	76	requested near5 (file\$1 or data or content\$1) near10 ((electronic near mail\$4) or email\$4 or e\$mail\$4) and threshold\$1 and (@ad<"20001030" or @rlad<"20001030")not (S85 or S90)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 08:27
S96	0	requested near5 (file\$1 or data or content\$1) near10 ((electronic near mail\$4) or email\$4 or e\$mail\$4) and (load or workload\$1) near15 threshold\$1 and (@ad<"20001030" or @rlad<"20001030")not (S85 or S90)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 08:27
S97	83	requested near5 (file\$1 or data or content\$1) near10 ((electronic near mail\$4) or email\$4 or e\$mail\$4) and (load or workload\$1) and (@ad<"20001030" or @rlad<"20001030")not (S85 or S90)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 08:28
S98	3	requested near5 (file\$1 or data or content\$1) near10 ((electronic near mail\$4) or email\$4 or e\$mail\$4) and (load or workload\$1) near15 (higher or lower or above or below or exce\$6)and (@ad<"20001030" or @rlad<"20001030")not (S85 or S90)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 08:28
S99	1822	(deliver\$4 or send\$4 or transmit\$5) near15(result\$1 or response\$1) near15 ((electronic near mail\$4) or email\$4 or e\$mail\$4) and (@ad<"20001030" or @rlad<"20001030")not (S85 or S90)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 09:02

EAST Search History

S10 0	22	(deliver\$4 or send\$4 or transmit\$5) near15 requested near2 (result\$1 or response\$1) near15 ((electronic near mail\$4) or email\$4 or e\$mail\$4) and (@ad<"20001030" or @rlad<"20001030")not (S85 or S90)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 09:08
S10 1	26	(deliver\$4 or send\$4 or transmit\$5 or return\$5) near15 requested near2 (result\$1 or response\$1) near15 ((electronic near mail\$4) or email\$4 or e\$mail\$4) and (@ad<"20001030" or @rlad<"20001030")not (S85 or S90)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 09:09
S10 2	106	(deliver\$4 or send\$4 or transmit\$5 or return\$5) near15 requested near2 (result\$1 or response\$1 or file\$1 or data or content\$1) near15 ((electronic near mail\$4) or email\$4 or e\$mail\$4) and (@ad<"20001030" or @rlad<"20001030")not (S85 or S90)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 09:09
S10 3	4	(deliver\$4 or send\$4 or transmit\$5 or return\$5) near15 requested near2 (result\$1 or response\$1) near15 ((electronic near mail\$4) or email\$4 or e\$mail\$4) and (@ad<"20001030" or @rlad<"20001030")not (S85 or S100)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 09:14
S10 4	2	"6581092".pn..and (@ad<"20001030" or @rlad<"20001030")not (S85 or S100)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 15:17
S10 5	1	transmit\$4 near10 discovery near marker\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 15:20

EAST Search History

S10 6	132	discovery near marker\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 15:20
S10 7	29	discovery near marker\$1.ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 15:26
S10 8	249	transmi\$6 near10 discovery .ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/24 15:26